

# Interior Mirrors

Interior mirrors enhance visibility for drivers and operators. They can be used to gain 180-degree visibility, like our MX943 mirror, or to focus on a particular blind spot. We have a wide range of mirrors, covering many applications and also mounting brackets, such as our S1230, on page 33.



## M2000CEA2

e11 III 03\*6624

Radius  
1200mm

Replacement Glass  
G200CE

## M2000FEA2

e11 III 03\*6624

Radius  
Flat

Replacement Glass  
G200FE



Mounting bracket has two M6 slots that fasten at 40-60mm centres

## M235C

Fitment  
M6 Stud  
Radius  
200mm



## M310CEA1

e11 I 03\*6632

Radius  
1200mm

Replacement Glass  
G410CE

## M310FEA1

e11 I 03\*6632

Radius  
Flat

Replacement Glass  
G410FE



Mounting bracket has two 7mm slots at 75-80mm centres

## M3102CEA1

e11 V 03\*6633

Radius  
450mm

Replacement Glass  
G4102CE

## M435CE

e11 IV & V 03\*6588

Fitment  
10-20mm  
Radius  
300mm

Replacement Glass  
G435CE



## M435CE-Stud

e11 IV & V 03\*6588

Fitment  
M6 Stud  
Radius  
300mm

Replacement Glass  
G435CE



# Interior Mirrors

## M435CEA2

e11 IV & V 03\*6588

Radius  
300mm

Replacement Glass  
G435CE



Mounting bracket has two M6 slots that fasten at 40-60mm centres

## M631CA

with S1173 mirror arm

Radius  
1800mm

## M631

Mirror head only

Fitment  
10-20mm

Radius  
1800mm



## S1173

Arm and bracket only



Mounts onto 35mm diameter poles

## MX943

Fitment  
10-20mm

Radius  
100mm



## MX943A2

Radius  
100mm



Mounting bracket has two M6 slots that fasten at 40-60mm centres

# Interior Mirrors

## M245C

Mirror only

<b>Fitment</b> 10-20mm	<b>Radius</b> 450mm
---------------------------	------------------------



## S1173

Arm and bracket only



S1173 arms can be used if this mirror is to be used as an observation mirror on buses.

Mounts onto 35mm diameter poles

## S1230

This mirror arm can be used for mounting mirrors onto a horizontal or vertical surface. Adjust the arm to the correct angle and then tighten the bolt in the bracket to create a stable mounting point for your mirror.



## M560C

Mirror only

<b>Fitment</b> 10-20mm	<b>Radius</b> 450mm
---------------------------	------------------------



## S1173

Arm and bracket only



S1173 arms can be used if this mirror is to be used as an observation mirror on buses.

Mounts onto 35mm diameter poles

## M5601CE

e11 VI 46R 048505

<b>Fitment</b> 10-20mm	<b>Radius</b> 300mm
---------------------------	------------------------



## M5601CEA

e11 VI 46R 048505

<b>Fitment</b> 10-20mm	<b>Radius</b> 300mm
---------------------------	------------------------



"B" versions of both mirrors are available with a clamp that fits 16-28mm diameter mirror arms

See MX5601CE on page 24